



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/851,443	05/08/2001	Andrew D. Jackson	US010246	4164
24737	7590	04/06/2004	EXAMINER	
PHILIPS INTELLECTUAL PROPERTY & STANDARDS P.O. BOX 3001 BRIARCLIFF MANOR, NY 10510			HARPER, HOLLY R	
			ART UNIT	PAPER NUMBER
			2879	

DATE MAILED: 04/06/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

1/m

<b>Advisory Action</b>	<b>Application No.</b> 09/851,443	<b>Applicant(s)</b> JACKSON ET AL.	
	<b>Examiner</b> Holly R. Harper	<b>Art Unit</b> 2879	

--The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

THE REPLY FILED 17 March 2004 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE. Therefore, further action by the applicant is required to avoid abandonment of this application. A proper reply to a final rejection under 37 CFR 1.113 may only be either: (1) a timely filed amendment which places the application in condition for allowance; (2) a timely filed Notice of Appeal (with appeal fee); or (3) a timely filed Request for Continued Examination (RCE) in compliance with 37 CFR 1.114.

**PERIOD FOR REPLY** [check either a) or b)]

- a) ☐ The period for reply expires \_\_\_\_\_ months from the mailing date of the final rejection.
- b) ☒ The period for reply expires on: (1) the mailing date of this Advisory Action, or (2) the date set forth in the final rejection, whichever is later. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of the final rejection. ONLY CHECK THIS BOX WHEN THE FIRST REPLY WAS FILED WITHIN TWO MONTHS OF THE FINAL REJECTION. See MPEP 706.07(f).

Extensions of time may be obtained under 37 CFR 1.136(a). The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply originally set in the final Office action; or (2) as set forth in (b) above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

1. ☐ A Notice of Appeal was filed on \_\_\_\_\_. Appellant's Brief must be filed within the period set forth in 37 CFR 1.192(a), or any extension thereof (37 CFR 1.191(d)), to avoid dismissal of the appeal.
2. ☒ The proposed amendment(s) will not be entered because:
- (a) ☒ they raise new issues that would require further consideration and/or search (see NOTE below);
- (b) ☐ they raise the issue of new matter (see Note below);
- (c) ☐ they are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal; and/or
- (d) ☐ they present additional claims without canceling a corresponding number of finally rejected claims.

NOTE: see attached explanation.

3. ☐ Applicant's reply has overcome the following rejection(s): \_\_\_\_\_.
4. ☐ Newly proposed or amended claim(s) \_\_\_\_\_ would be allowable if submitted in a separate, timely filed amendment canceling the non-allowable claim(s).
5. ☒ The a) ☐ affidavit, b) ☐ exhibit, or c) ☒ request for reconsideration has been considered but does NOT place the application in condition for allowance because: see attached explanation.
6. ☐ The affidavit or exhibit will NOT be considered because it is not directed SOLELY to issues which were newly raised by the Examiner in the final rejection.
7. ☐ For purposes of Appeal, the proposed amendment(s) a) ☐ will not be entered or b) ☐ will be entered and an explanation of how the new or amended claims would be rejected is provided below or appended.

The status of the claim(s) is (or will be) as follows:

Claim(s) allowed: \_\_\_\_\_.

Claim(s) objected to: \_\_\_\_\_.

Claim(s) rejected: \_\_\_\_\_.

Claim(s) withdrawn from consideration: \_\_\_\_\_.

8. ☐ The drawing correction filed on \_\_\_\_\_ is a) ☐ approved or b) ☐ disapproved by the Examiner.

9. ☐ Note the attached Information Disclosure Statement(s) (PTO-1449) Paper No(s).

10. ☐ Other: \_\_\_\_\_

  
NIMESHKUMAR D. PATEL  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2800

## **DETAILED ACTION**

### ***Response to Amendment***

The Amendment, filed on 3/17/04, has not been entered and acknowledged by the Examiner. The proposed amendment would change the scope of the claims.

### ***Response to Arguments***

1. Applicant's arguments filed 3/17/04 have been fully considered but they are not persuasive.

In regard to applicants claim that Gutta's metal coil should not be taught to Shippee, the examiner respectfully disagrees. Gutta teaches the use of a metal coil on the outside of the arch tube to increase structural support. This is applicable to all lamps with an arch tube, including Shippee.

### ***Contact Information***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Holly Harper whose telephone number is (571) 272-2453. The examiner can normally be reached on Monday-Friday from 8:30 AM to 5:00 PM.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nimesh Patel, can be reached on (571) 272-2457. The fax phone number for the organization where this application or proceeding is assigned is (703) 308-7382.

Art Unit: 2879

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.



Holly Harper  
Patent Examiner  
Art Unit 2879



NIMESHKUMAR D. PATEL  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2800